

TECNA[®]

- Italy

ALATISTHERM



UNIVERZALNA ZAVARIVAČKA STANICA ZA ZAVARIVANJE , SPOTER – vodom hlađena - sa pneumatskim pištoljem - potpuno automatska ... 19 KVA - šifra 36 EZ

ALATISTHERM D.O.O

Koče Kapetana 25

35230 Ćuprija , Srbija

Tel/fax : + 381 (0) 35 8471- 196

Mob 1 : + 381 (0) 65 2771- 802

Mob 2 : + 381 (0) 65 8410- 651

office@alatistherm.in.rs

office@alatistherm.co.rs

www.alatistherm.co.rs

V.P Cena uređaja je :

ZA CENU OVOG UREĐAJA MORATE DA POZOVETE KAKO BISMO KONTAKTIRALI DIREKTNO PROIZVOĐAČA

36EZ predstavlja elektrootporni sistem zavarivanja kontrolisan mikroprocesorom namenjen za radove reparacija u auto industriji. Kontrolna digitalna jedinica ima tač ekran i kontroliše automatski ceo process uključujući i debljinu i tip materijala.

Automatska identifikacija –prepoznavanje priključenog alata ; Pištolj – klešta sa ugrađenim tafoom sa industrijskim priključkom (bez šrafova, španera itd.) ; Transformator, ruke , elektrode vodom hlađeni pomoću rashladne jedinice koja je ugrađena. Izmenjivač toplote je opciono dostupan.

Radni pritisak klešta se održava pomoću proporcionalnog ventila.

TEHNIČKI PODACI

Šifra	36EZ	
Napon napajanja/frekvenca*	400V 50/60 Hz	
Broj faza	3	
Osigurači	A	25-32
Stepen zaštite	IP21	
Težina	kg	140

PIŠTOLJI – KLEŠTA

Šifra		8679TS	8679TS7
Nominalna snaga na 50%	kVA	19	19
Nominalna snaga na 100%	kVA	13.5	13.5
Maksimalna snaga	kVA	60	60
Maksimalna sekundarna struja	kA	14	14
Termička struja 100%	kA	1.8	1.8
Sekundarni napon praznog hoda	V	8.7	8.7
Max. sila elektrode	daN	450	700
Senzor prepoznavanja		S	S
Stepen zaštite		IP21	IP21
Težina bez ruku	kg	12.5	12.5

KONTROLNA JEDINICA



Radni režim : „ SMART + „



Radni režim : „ FULL „



Radni režim : „ FULL „
Menadžer programa







Arhiva izvedenih zavarivanja



Administrator

Standardni ili na zahtev dodaci


Item 36EZ	Photo	Opis
✓		<p>Item 8679TS za SMART PLUS režim, 450 daN max. sila elektroda</p>
+		<p>Item 8679TS7 za SMART PLUS režim, 700 daN max. sila elektroda</p>
✓		<p>Item 73085 Grupa za hlađenje vodom sa pompom.</p>
+		<p>Item 8675/SP jedinica za hlađenje sa izmenjivačem toplote.</p>




+		<p>Item 8680/PACK03 Regulator pritiska</p>
+		<p>Item 23221P USB</p>
✓		<p>Item LIGHT 12 Balanser za pištolj - klešta</p>
+		<p>Item LIGHT 8 Dodatni balanser za pištolj sa rukama 8687 / 8690</p>


✓		<p>Item 72000 Set dodatnog I potrošnog materijala</p>
+		<p>Item 5235K Set Ø 16 mm elektroda. 36 komada Type A, 16 komada Type E</p>


✓=Standard +=Na zahtev - dodatno

Ruke I elektrode

Item 36EZ	Photo	Opis
✓	 <p>● ART. ITEM 5227/W-ø16 mm</p> <p>160 mm</p> <p>85 mm</p> <p>● STANDARD ○ A RICHIESTA - ON DEMAND</p>	<p>Item 8685/W/S Ruka 85 mm</p>

<p>+</p>	 <p>● ART. ITEM 5227/W-ø16 mm</p> <p>160 mm</p> <p>205 mm</p> <p>● STANDARD ○ A RICHIESTA - ON DEMAND</p>	<p>Item 8684/W/S Ruka 205 mm</p>
<p>+</p>	 <p>● ART. ITEM 5227/W-ø16 mm</p> <p>160 mm</p> <p>355 mm</p> <p>● STANDARD ○ A RICHIESTA - ON DEMAND</p>	<p>Item 8686/W/S Ruka 355 mm</p>
<p>+</p>	 <p>○ ART. ITEM 5227/W-Ø16mm</p> <p>225 mm</p> <p>505 mm</p> <p>● STANDARD ○ A RICHIESTA - ON DEMAND</p>	<p>Item 8688/W/S Ruka 505 mm</p>

+	 <p style="text-align: center;">● STANDARD ○ A RICHIESTA - ON DEMAND</p>	<p>Item 8687/W/S Ruka 635 mm</p>
---	--	---

+	 <p style="text-align: center;">● STANDARD ○ A RICHIESTA - ON DEMAND</p>	<p>Item 8689/W/S Ruka 505 mm</p>
---	---	---

✓=Standard +=Upon request

Setovi ruku

Item 36EZ	Photo	Opis
+	 <p data-bbox="384 1016 608 1043">ART. ITEM 8688/W/S</p>  <p data-bbox="730 562 903 589">ART. ITEM 8689</p> <p data-bbox="719 730 916 757">ART. ITEM 5223/W</p> <p data-bbox="727 842 908 869">ART. ITEM 5230T</p> <p data-bbox="711 1016 924 1043">ART. ITEM 5220/WP</p>	<p data-bbox="991 524 1262 551">Item 8680/PACK01</p> <p data-bbox="991 577 1378 604">Za pištolj-klešta item 8679TS</p> 
+	 <p data-bbox="384 1720 608 1747">ART. ITEM 8688/W/S</p>  <p data-bbox="730 1265 903 1292">ART. ITEM 8689</p> <p data-bbox="719 1433 916 1460">ART. ITEM 5223/W</p> <p data-bbox="727 1545 908 1572">ART. ITEM 5230/7</p> <p data-bbox="711 1720 924 1747">ART. ITEM 5220/WP</p>	<p data-bbox="991 1196 1289 1223">Item 8680/7/PACK01</p> <p data-bbox="991 1249 1394 1276">Za pištolj-klešta item 8679TS7</p> 

<p>+</p>	 <p>ART. ITEM 8686/W/S</p>  <p>ART. ITEM 5221/2 ART. ITEM 5221/3</p>  <p>ART. ITEM 5240/W</p>	<p>Item 8680/PACK02 Za pištolj-klešta item 8679TS</p> 
<p>+</p>	 <p>ART. ITEM 8688/W/S</p>  <p>ART. ITEM 5221/2 ART. ITEM 5221/7</p>  <p>ART. ITEM 5240/W</p>	<p>Item 8680/7/PACK02 Za pištolj-klešta item 8679TS7</p> 

✓=Standard +=Na zahtev - dodatno

ALATISTHERM D.O.O

Koče Kapetana 25

35230 Čuprija , Srbija

Tel/fax : + 381 (0) 35 8471- 196

Mob 1 : + 381 (0) 65 2771- 802

Mob 2 : + 381 (0) 65 8410- 651

office@alatistherm.in.rs

office@alatistherm.co.rs

www.alatistherm.co.rs